

(A) Please amend the claims as follows:

1. (Currently amended) A building including the combination of ~~an~~ a serial array of first, second and third triangular facades with said second triangular facade having an ~~angular~~ angular projecting boundary jutting from an elongated central axis at the junction of side boundaries of each of said first and third triangular facades, said first triangular facade being disposed in said serial array to project from each of opposite lateral sides of said second triangular facade.

2. (Original) The building according to claim 1 wherein said first and third triangular facades each project from one of each of opposite lateral sides of said second triangular facade.

3. Cancelled

4. (Currently amended) A building including the combination of an array of first, second and third triangular facades with said second triangular facade having an angular projecting boundary jutting from an elongated central axis at the junction of side boundaries of each of said first and third triangular facades, and ~~The building according to claim 1 further including a fourth triangular facade coextensive with at least a portion of said third triangular facade and projecting from said second triangular facade.~~

5. (Previously amended) The building according to claim 1 wherein said array of first, second and third triangular facades occur in a serial fashion dispersed about said elongated central axis.

6. (Original) The building according to claim 5 wherein said elongated central axis is further defined as a longitudinal central axis orientated in any of perpendicular, parallel, or angular planes to the horizontal.

7. (Original) The building according to claim 1 wherein each of said first, second and third triangular facades each include a perimeter wall lying in a common reference plane.

8. (Original) The building according to claim 7 wherein said common reference plane is foundation orientated.

9. (Original) The building according to claim 7 wherein said common reference plane forms an acute angle with a reference plane generally containing terrain surrounding said facade.

10. (Original) The building according to claim 1 further including a second array of said first, second and third triangular facades with said second triangular facade of said second array jutting from side boundaries of each of said first and third triangular facades of the second array.

11. (Previously amended) The building according to claim 10 wherein said second triangular facade of said second array and said second triangular facade of the first said array extend in opposite vertical directions.

12. (Currently amended) The building according to claim 8 10 wherein each of said first, second and third triangular facades of the first said array include a perimeter wall lying in a first common reference plane and said second array include a perimeter wall lying in a second common reference plane.

13. (Original) The building according to claim 12 wherein said first common reference plane and said second common reference plane are co-planer.

14. (Original) The building according to claim 12 wherein said first common reference plane and said second common reference plane are generally parallel and spaced apart.

15. (Original) The building according to claim 12 wherein said first common

reference plane and said second common reference plane each form an acute angle with a reference plane generally containing terrain surrounding said first façade and second façade.

16. (Previously amended) The building according to claim 1 wherein the first said array of triangular facades occurs in a serial fashion dispersed about a first elongated central axis and a second array of triangular facades occurs in a serial fashion dispersed about a second elongated central axis, said first central axis and said second central axis being generally parallel and set apart at a pitch distance such that walls of the triangular facades confront each other.

17. (Cancelled)

18. (Currently amended) A building including the combination of first, second and third triangularly shaped building elements each with five principal peripheral boundaries arranged in an array formed by said first triangularly shaped building element having boundaries partly contiguous with said second and third triangularly shaped building elements and said second triangularly shaped building element having a boundary partly contiguous with said third triangularly shaped building element, each of said building elements having at least two principal peripheral boundaries forming an acute angular relation there between, said first, second and third triangularly shaped building ~~elements~~ ~~element~~ having a principal boundary lying in a plane and substantially mutually parallel.

19. (Cancelled)

20. (Cancelled)

21. (Cancelled)

22. (Cancelled)

23. (Currently amended) A building including the combination of an array of first, second and third triangular facades with said second triangular facade jutting from side

boundaries of each of said first and third triangular facades, said ~~third~~ first triangular façade being disposed in said serial array to project from each of opposite lateral sides of said second triangular façade.

24. (Previously submitted) A building including the combination of an array of first, second, third and forth triangular facades with said second triangular facade jutting from side boundaries of each of said first and third triangular facades, said fourth triangular façade being coextensive with at least a portion of said third triangular façade and projecting from said second triangular façade.

25. (Previously submitted) A building including the combination of a first array and a second array of first, second and third triangular facades with said second triangular façade jutting from side boundaries of each of said first and third triangular facades in each said first array and said second array, said triangular facades including a perimeter wall lying in a foundation orientated common reference plane, said second triangular facade of said second array and said second triangular facade of the first said array extend in opposite vertical directions.

26. (Currently amended) The building according to claim 25 wherein each of said first, second and third triangular facades of the first said array includes a perimeter wall lying in a first common reference plane and said second array ~~include~~ includes a perimeter wall lying in a second common reference plane.

27. (Previously submitted) The building according to claim 26 wherein said first common reference plane and said second common reference plane are co-planer.

28. (Previously submitted) The building according to claim 26 wherein said first common reference plane and said second common reference plane are generally parallel and

spaced apart.

29. (Previously submitted) The building according to claim 26 wherein said first common reference plane and said second common reference plane each form an acute angle with a reference plane generally containing terrain surrounding said first façade and second facade.

30. (Previously submitted) The building according to claim 1 wherein at least one of said first, second and third triangular facades includes a truncation to a triangular configuration.

31. (Previously submitted) The building according to claim 18 wherein at least one of said first, second and third triangularly shaped building elements includes a truncation to a triangular configuration.

32. (Previously submitted) The building according to claim 21 wherein at least one of said first, second and third triangularly shaped building elements includes a truncation to a triangular configuration.

33. (Newly submitted) A building including the combination of an array of first, second and third triangular facades with said second triangular facade having an angular projecting boundary jutting from an elongated central axis at the junction of side boundaries of each of said first and third triangular facades, and a second array of said first, second and third triangular facades with said second triangular facade of said second array jutting from side boundaries of each of said first and third triangular facades of the second array, wherein said second triangular facade of said second array and said second triangular facade of the first said array extend in opposite vertical directions.

34. (Newly submitted) The building according to claim 33 wherein each of said first, second and third triangular facades of the first said array include a perimeter wall lying in a

first common reference plane and said second array include a perimeter wall lying in a second common reference plane.

35. (Newly submitted) The building according to claim 34 wherein said first common reference plane and said second common reference plane are co-planar.

36. (Newly submitted) The building according to claim 34 wherein said first common reference plane and said second common reference plane are generally parallel and spaced apart.

37 (Newly submitted) The building according to claim 34 wherein said first common reference plane and said second common reference plane each form an acute angle with a reference plane generally containing terrain surrounding said first façade and second facade.